Colours

Antifoulings

Use antifouling paints safely. Always read the label and product information before use.





Green



Polishing

Micron® 350w

Premium performance



Dover White



Polishing

Micron® 300

Premium performance



Dark Grey


- Pre-immersion
- Post-immersion

Whilst every care is taken to match colours on this card, the manufacturers cannot be responsible for slight variations.



Polishing

Cruiser® 250 General purpose





Dover White



Polishing

Cruiser® 200

Bright white




White



Polishing


Boatguard 100

Economical choice





Dover White



International Paint Ltd.

1 Wellington Park, Hedge End, Southampton, Hampshire SO30 2QU Tel: +44 (0) 1489 77 50 50

Fax: +44 (0) 1489 78 58 67 Mail: iyp.uk@akzonobel.com




Statements made in this brochure are advisory only and are not intended to be specific recommendations or warranties of any product, combination of products or fitness for any particular purpose. Please consult our product labels, product data sheets and/or material safety data sheets directly for complete technical information.

Printed in the UK using vegetable oil and naturally occurring resin-based inks.

All trademarks mentioned in this publication are owned by, or licensed to, the AkzoNobel group of companies.

YXA941 @ AkzoNobel 2018





Colours

Topcoats

X International Perfection.

Perfection

Ultimate performance, two-part polyurethane finish

Snow White	Mediterranean White	Off White	Platinum
B000 □	A184 🗌	A192 🗆	A183 🗆
Cream S070 □	Fighting Lady Yellow S056 □	Rochelle Red S299	Chilli Red
Jade Mist Green B663	Mauritius Blue F991 □	Flag Blue K990 □	Royal Blue A216
Lauderdale Blue S936 □	Jet Black Y999 □		

Recommended undercoat for two-part finishes

☐ White Perfection Undercoat

Whilst every care is taken to match colours on this card, the manufacturers cannot be responsible for slight variations.

X.International Toplac.

Toplac®

Premium quality high-gloss durable yacht enamel




Recommended undercoat for one-part finishes

- O White Pre-Kote
- Blue/Grey Pre-Kote
- Blend (50% White Pre-Kote/50% finish colour)

Interdeck®


Slip-resistant polyurethane deck paint





Danboline

Hard wearing coating for bilges, lockers and bulkheads





X.International.

Matting Additives

For one and two-part finishes





- ▲ For use with Toplac (one-part finish)
- ▲▲ For use with Perfection (two-part finish)

^{*} While stocks last